

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	06-01-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	06-01-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	110 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Delhi
विभाग का नाम/Department Name	Training And Technical Education Department Delhi
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	Dtte
कुल मात्रा/Total Quantity	5800
वस्तु श्रेणी /Item Category	Desk and Bench Set for Classroom/Training Area (Q2) , Chair (Without Wheels) for General Purpose (Q2) , Steel Almirah / Cabinets conforming to IS 3312 (V4) (Q3) , Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (Q2) , Steel Bookcases confirming to IS 7761 (V2) (Q2) , Modular Table / Meeting Table / Centre Table (V2) (Q2) , Revolving Chair (V5) (Q2) , medical stools or chairs (Q3) , Classroom Stools (Q3) , Laboratory Steel Furniture (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	200 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	2300 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया जाना है। / Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Desk and Bench Set for Classroom/Training Area
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	1800000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

DD
Dtte, Training and Technical Education Department Delhi, N/A,
(Ddo)

UIN Number NCTGC2415P

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--------------------------------------------	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25 % percentage of total quantity. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
 - i. If number of technically qualified bidders are only 2 or 3.
 - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
 - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
 - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
 - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
22-12-2025 15:00:00	Conference room DTTE HQ

Desk And Bench Set For Classroom/Training Area (1057 set)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Desking and Seating	Desk and Bench (Integrated), Desk and Bench (Separate)
	Suitable for Age Group (in years)	3 TO 4, 4 TO 6, 6 TO 9, 9 TO 12, 12+
	Number of Seating Capacity	1 Seater, 2 Seater, 3 Seater, 4 Seater
Desk	Frame Material of Desk	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Mild Steel
	Material of Top of desk	Particle Board, MDF Board, Marine Ply, BWP Ply, Mild Steel, Compact Laminate (HPL)
	Desk with shelf (under storage)	Yes, No
Modesty Panel in Desk	Availability of modesty panel	Yes, No
	Modesty Panel Type	Half, Full, Quarter, NA(Without Modesty Panel)
	Material of Modesty Panel	NA(Without Modesty Panel), Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Acrylic, Mild Steel, Compact Laminate (HPL)
	Thickness of Modesty Panel (in mm)	NA(Without Modesty Panel), 0.8, 1.0, 1.2, 1.6, 2.0, 10, 12, 15, 18, 25, 6, 8
Seating Bench	Frame Material of Seating Bench	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Mild Steel
	Seating Material of Bench Top	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Compact Laminate (HPL)
Bench Backrest	Bench Backrest Provided	Yes, No
	Material of Bench Backrest	NA(Without Backrest), Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Compact Laminate (HPL)
Seating Armrest	Armrest Provided in Chair/Bench	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	1057	60

Chair (Without Wheels) For General Purpose (724 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back, Mid-back
	Lumbar Support available in Seat Backrest	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No
	Type of Armrest in Chair	Without Armrest, Fixed armrest with Cushion, Fixed armrest with Padding, Fixed armrest without cushion and padding

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	724	60

Steel Almirah / Cabinets Conforming To IS 3312 (V4) (224 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 3312

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Types of Almirah (Dimensions are without pedestal height)	Small (1150 mm X 760 mm X 430 mm), Large (1855 mm X 910 mm X 480 mm)
	Availability of Drawers	Yes, No
	Availability of Lockers	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	224	60

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (98 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550
	Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	98	60

Steel Bookcases Confirming To IS 7761 (V2) (59 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 7761
MATERIAL AND FINISH REQUIREMENTS	Mild Steel Sheets	Grade 0 of IS 513, Grade 0 of IS 1079

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	59	60

Modular Table / Meeting Table / Centre Table (V2) (149 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	149	60

Chair (Without Wheels) For General Purpose (211 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back, Mid-back
	Lumbar Support available in Seat Backrest	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No
	Type of Armrest in Chair	Without Armrest, Fixed armrest with Cushion, Fixed armrest with Padding, Fixed armrest without cushion and padding

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	211	60

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (180 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400
	Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Back Section	Availability of Back Section	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	180	60

Modular Table / Meeting Table / Centre Table (V2) (476 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	476	60

Revolving Chair (V5) (1121 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm, High-back range: More than 700 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	1121	20

Chair (Without Wheels) For General Purpose (234 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR SEAT	Availability of cushion on seat	Yes
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back, Mid-back
	Lumbar Support available in Seat Backrest	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No
	Type of Armrest in Chair	Without Armrest, Fixed armrest with Cushion, Fixed armrest with Padding, Fixed armrest without cushion and padding

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012, Pusa Campus, New Delhi	234	60

Modular Table / Meeting Table / Centre Table (V2) (25 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	25	60

Chair (Without Wheels) For General Purpose (22 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back, Mid-back
	Lumbar Support available in Seat Backrest	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No
	Type of Armrest in Chair	Without Armrest, Fixed armrest with Cushion, Fixed armrest with Padding, Fixed armrest without cushion and padding

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	22	60

Medical Stools Or Chairs (329 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Dimensions	Adjustable Height	Yes, No
	Normal Height (mm)	50 - 1000
	Min. Height (mm)	50 - 1000
	Max. height (mm)	50 - 1000
	Stool Top base Thickness (mm)	1.0e-06 - 100
Material and shape of Stool	Cushioning in the stool Top	with Cushion, Without cushion
	No of Legs in the under structure	0 - 10
	Foot rest	With, Without
	Material of Top	Stainless Steel, Wood, Mild Steel
	Painting	Stove enamel, Powder coating, Polishing, Others, Stainless steel
	Type of Stool	Fixed, Revolving
	Back rest	With, Without, Back rest with tilting angle

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	329	60

Classroom Stools (593 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	-----------------------------------------------------------------

विवरण/Specification	विवरण/Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Assembled ready to use, Knocked down to be assembled at Consigning site by the seller, knocked down to be assembled at consignee site by consignee himself
	Style of Stools	Supported by set of Legs, Supported by pillars, Trestle type (with a plank top & vertical planks on the side), Fixed stool supported by single column, Fixed stool supported by pedestal
	Design of Stool	With four legs only, With four legs and cross leg members, With four legs and Foot rest ring, With four legs and Foot rest in square shape, With four legs and Foot rest in rectangular shape
	Approval of Advance sample (in respect of design)	Yes, No
	Stools stand a load of	50 Kg, 75 Kg, 100 Kg, N.A
MATERIAL	Top material	Medium Density Fiberboard, Marble, Lucite, Arcylic, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Ply wood, Flat single layer MDF board of grade SBG II of IS 12406/Latest, Solid wood, Granite, MS sheet, SS 304, CRC sheet Top (fitted with non-skid rubber sheet), Seasoned Sheesham wood
	Frame material	Teak wood, Carved Teak wood, Stainless steel SS 304, Other wood, No frames, Granite, Marble, MS pipe heavy duty, MS square pipe, Seasoned Sheesham wood
	Leg material	Teak wood, Teak carved wood, Other wood, Steel flat SS 304, Steel pipe SS 304, 25 mm MS pipe heavy duty, No leg - supported by external sides, Seasoned Sheesham wood
	Material of Understructure supporting the top	Flat single layer MDF board of grade SBG II of IS 12406/Latest, Three layer prelaminated particles board(Wood product) of grade II type II of IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Other wood, Steel flat SS 304, MS square section of 25 mm x 25 mm with 2 mm wall thickness, No understructure support, MS square section of 25 mm x 25 mm with 1.02 mm (18 gauge) wall thickness, Seasoned Sheesham wood, OTHER WOOD, SS 304, SIZES OF MS SECTIONS
DIMENSION & THICKNESS	Dimension of Top (length X Breadth) ±10mm	250 mm x 250 mm, 300 mm x 300 mm, 350 mm x 350 mm, 400 mm x 400 mm, 250 mm (Dia), 300 mm (Dia), 350 mm (Dia), 400 mm (Dia), 300 mm x 225 mm, 460 mm X 300 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Height of Stool ±10 mm	400 mm, 450 mm, 500 mm, 550 mm, 600 mm, 650 mm, 700 mm, 760 mm
	Thickness of top material (+/-1 mm)	1.2 mm, 1.6 mm, 2 mm, 3 mm, 5 mm, 7 mm, 10 mm, 13 mm, 15 mm, 19 mm, 25 mm, 36 mm
	Thickness of frame material (+/- 1 mm)	2 mm, 3 mm, 5 mm, 7 mm, 9 mm, 13 mm, 19 mm, 25 mm, 1.02 mm, NA
	Cross / Round /Square / Rectangular leg member size	13 mm, 18 mm, 25 mm, N.A
MISCELLANEOUS	Beeding	Top all side to be 5 mm thick teak wood beeding, N.A
COLOUR & FINISH	Paint / Polish	Powder coated, Pre treated and Epoxy powder coated finish, All iron parts to be Primer coated and Painted, Lacquered polish
WARRANTY	Warranty period in number of years	1, 2, 3

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	593	60

Laboratory Steel Furniture (61 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MATERIAL	Thickness of Frame	1.1 mm, 1.2 mm, 2 mm, 2.5 mm, 3 mm
	Thickness of Cabinet frame cover panel	1.1 mm, 1.2 mm, 2 mm
	Drawers support brackets shelves slides thickness	1.1 mm, 1.2 mm, 2 mm
	Side cover panels material	1.1 mm, 1.2 mm
	Side cover panels thickness	1.1 mm, 1.2 mm
	Handles thickness	1.1 mm, 1.2 mm, 2 mm

विवरण/Specification	विवरण का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Sandwich type metal shutters thickness	1.1 mm, 1.2 mm
	Rear panel material thickness	1.1 mm, 1.2 mm
	Glass for framed sliding and swinging doors	4 mm thick float glass, N.A
	Glass for reagent shelf's	6 mm thick wire glass, 6 mm compact laminate, N.A
	Legs made up of	2.5 mm thick EDD quality GI steel square having 2.5 mm wall thickness, N.A
	Leg size	50 mm x 50 mm, 75 mm x 75 mm, N.A
	Work tops	Acid resistant granite 18 mm thick, Acid resistant granite 20 mm thick
	Electrical points	Provided with one number of 3 Module Plate having 5/15Amps combined switch and 1 set of sockets, Provided with one number of 3 Module Plate having 5/15Amps combined switch and 2 sets of sockets, Provided with one number of 3 Module Plate having 5/15Amps combined switch and 3 sets of sockets, Provided with one number of 3 Module Plate having 5/15Amps combined switch and 4 sets of sockets, Provided with one number of 3 Module Plate having 5/15Amps combined switch and 6 sets of sockets, N.A
	Modular type reagent rack	One number rack with 2 Shelf of grade Aluminium and 6 mm thick wired glass (to fit the table), One number rack with 2 Shelf of grade Aluminium and 6 mm thick compact laminate (to fit the table), N.A
GENERIC	Type of Lab furniture	Side bench without rack with table top, Side bench with rack and table top, Island bench with table top, Side sink with table top
	Provision of Electrical raceway	Yes, No
	Provision of Electrical points	Yes, No
	Provision of modular type reagent rack	Slideable type, Door type (two doors), Door type (single door), N.A
	Provision of Electrical service panels	Slideable type, Door type (two doors), Door type (single door), N.A
	Provision of Gas service panels	Slideable type, Door type (two doors), Door type (single door), N.A
	Provision of Verticals	Single, Double, N.A
	Verticals (single)	1 number, 2 numbers, 3 numbers, N.A
	Verticals (double)	1 number, 2 numbers, 3 numbers, N.A
	Mini Vertical Service channel connector	1 number, N.A

विवरण/Specification	विवरण/Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Provision of blower (to remove airborne contaminants)	Yes, No
	Provision of ducting (for purpose of ventilation)	Yes, No
DIMENSION	Size of side benches/Island benches (LxWxH)	900 mm X 1500 mm X 900 mm, 1200 mm X 600 mm X 900 mm, 1200 mm X 750 mm X 900 mm, 1200 mm X 750 mm X 750 mm, 1260 mm X 600 mm X 900 mm, 1500 mm X 750 mm X 750 mm, 1500 mm X 750 mm X 900 mm, 1500 mm X 1500 mm X 900 mm, 1550 mm X 750 mm X 750 mm, 1800 mm X 1800 mm X 900 mm, N.A
	C Type Fixed Under Bench Cabinet size	500 mm x 500 mm x 540 mm (having one door, one drawer and one adjustable/removable shelf), 500 mm x 500 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf), N.A
	C Type Sliding Under Bench Cabinet size	500 mm x 500 mm x 540 mm (having one door, one drawer and one adjustable/removable shelf), 500 mm x 500 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf), N.A
	Electrical raceway size	150 mm(H) x 150 mm(W) x 900 mm, 150 mm(H) x 150 mm(W) x 1200 mm, 150 mm(H) x 150 mm(W) x 1260 mm, 150 mm(H) x 150 mm(W) x 1500 mm, 150 mm(H) x 150 mm(W) x 1550 mm, 150 mm(H) x 150 mm(W) x 1800 mm, N.A
	Electrical service panels slideable size	200 mm (H) x 150 mm(W) x 900 mm, 200 mm (H) x 150 mm(W) x 1200 mm, 200 mm (H) x 150 mm(W) x 1260 mm, 200 mm (H) x 150 mm(W) x 1500 mm, 200 mm (H) x 150 mm(W) x 1550 mm, 200 mm (H) x 150 mm(W) x 1800 mm, N.A
	Size of Verticals	150 mm x 25 mm thick x 1200 mm (H), N.A
	Eye Wash fountain (table mounted)	One number (2-way), N.A
BLOWER	Motor	2 HP direct drive asynchronous 3 phase IP55 protection, N.A
LAB STEEL STOOL	Seat made up of	SS 202, SS 304, Cushioned, N.A
	Backrest made up of	SS 202, SS 304, Cushioned, N.A
TEST REPORT	Availability of Test certificate of the furniture system as per SEFA 8M duly certified by SEFA approved laboratory to prove conformity of products to the specification	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N.o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	61	45

Modular Table / Meeting Table / Centre Table (V2) (237 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No

विवरण/Specification	विविषित का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lok Pal	110012,Pusa Campus, New Delhi	237	60

Special terms and conditions-Version:1 effective from 18-10-2022 for category medical stools or chairs

1.

- Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
- Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
- Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
- Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or

reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.

6. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
7. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
8. **Software:** All software updates should be provided free of cost during warranty period.
9. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

2. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

3. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

5. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

DDO ,DTTE

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped

along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

6. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

DDO,DTTE

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

7. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

8. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

9. Financial Criteria

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

10. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

11. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove;

and

- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस नियिदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---